

**Description:**

Default double parser.

Added In: v0.45

Function

```
public class UMFConfigDouble : UMFConfigParser<double>
{
    public double DefaultValue;
    public double MinValue;
    public double MaxValue;
    public int Decimals;
    public double VanillaValue;
    public bool RequiresRestart;
    public double[] AllowedValues;

    public UMFConfigDouble(double defaultValue = default(double), double
minValue = default(double), double maxValue = default(double), int decimals
= 2, double vanillaValue = default(double), bool requiresRestart = false,
params double[] allowedValues)
    {
        DefaultValue = defaultValue;
        MinValue = Math.Min(minValue, maxValue);
        MaxValue = Math.Max(minValue, maxValue);
        Decimals = decimals;
        VanillaValue = vanillaValue;
        RequiresRestart = requiresRestart;
        AllowedValues = allowedValues;
    }

    public override double Parse(string value)
    {
        if (!double.TryParse(value, out double result)) result =
DefaultValue;
        return result;
    }

    public override string ToString()
    {
        return DefaultValue.ToString();
    }

    public override string Default()
```

```
{
    return DefaultValue.ToString();
}

public override string Range()
{
    return (MaxValue != default(double) ? MinValue.ToString() + ","
+ MaxValue.ToString() + "," + Decimals.ToString() : null);
}

public override string Vanilla()
{
    return (VanillaValue != default(double) ?
VanillaValue.ToString() : null);
}

public override string Allowed()
{
    return (AllowedValues.Length > 0 ? string.Join(",",
AllowedValues.Select(x => x.ToString()).ToArray()) : null);
}

public override string Restart()
{
    return RequiresRestart.ToString();
}
}
```

Usage

```
//Coming soon
```

Examples

```
//Coming soon
```

From:

<https://umodframework.com/wiki/> - **UMF Wiki**

Permanent link:

https://umodframework.com/wiki/api:umfconfig:parser_umfconfigdouble

Last update: **2019/06/29 23:36**

